

Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com

Date received: 07/06/17

Date of issue: 28/07/17

Report consists of 10 test reports.

Defects before testing: None

Sample name: NET BENCH

NARDI S.P.A. VIA ARSO 4

36072 CHIAMPO (VI) ITALIA

# **SAMPLE Nº 233836**

Overall dimensions: 1160 x 700 x 860 (h) mm

#### List performed tests:

- 1. Outdoor furniture General safety requirements EN 581-1:2017
- 2. Information for use EN 581-2:2015, clause 8
- 3. Seat and back static load test EN 1728:2012+AC:2013
- 4. Seat and back fatigue test EN 1728:2012+AC:2013
- 5. Arm downwards static load test EN1728:2012+AC:2013
- 6. Arm fatigue test EN 1728:2012+AC:2013
- 7. Leg forward static load test EN 1728:2012+AC:2013
- 8. Leg sideways static load test EN 1728:2012+AC:2013
- 9. Seat impact test EN 1728:2012+AC:2013
- 10. Stability EN 1022:2005



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com

# **SAMPLE N° 233836**

Date of issue: 28/07/17

Sample weight: Not determined Sample name: NET BENCH



Side view





Rear view



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

## **TEST REPORT**

# 233836 / 1

 Date received:
 07/06/17

 Date of test:
 07/07/17

 Date of issue:
 28/07/17

 Sample name:
 NET BENCH



NARDI S.P.A. VIA ARSO 4 36072 CHIAMPO (VI) ITALIA

**YES** 

# Outdoor furniture - General safety requirements EN 581-1:2017

#### 5.1 General: Requirement Observed Remarks Edges of seat, back rest and arm rests rounded and Yes None All other parts: free from burrs, sharp edges and Yes None sharp points. Movable and adjustable parts designed so that Not present None injuries and inadvertent operation are avoided Any load bearing part of forniture not come loose Yes None unintentionally Lubricated parts are protected Yes None 5.2 Tubular components: Requirement Observed Remarks Absence of tubulat components with diameter Not present None > 7 mm and < 12 mm with a depth > 10 mm. Tubulars in contact with the floor are closed. Holes in them are allowed as long as they are < 7 mm or Yes None > 12 mm 5.3 Shear and squeeze points: Requirement Observed Remarks Shear and squeeze points that are created only during adjusting and folding away are acceptable Not present None if the user has the control of his/her movements. Absence of shear and squeeze points, created Not present None by parts operated by powered mechanism. Absence of shear and squeeze points, created Yes None

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

by loads applied during normal use.

Managing Director Dr. Andrea Giavon

Conformity to requirements of clause 5 of standard EN 581-1:2017:



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# **TEST REPORT**

# 233836 / 2

Date received: 07/06/17
Date of test: 27/07/17
Date of issue: 28/07/17
Sample name: NET BENCH



NARDI S.P.A. VIA ARSO 4 36072 CHIAMPO (VI) ITALIA

# Information for use EN 581-2:2015, clause 8

# Information for use EN 581-2:2015, clause 8 General, clause 7.1

Goneral, Glados III	
Statement checked	Remarks
Shall be provided in the language of the country where the chairs are sold.	Present
Shall be headed "IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY" in letters no less than 5 mm high.	Present

# This instructions shall include at least the following:

Statement checked	Remarks
a) Name and address of the producer (manufacturer or supplier).	Present
b) Conditions for use of the product (camping, domestic or contract)	Present
c) Assembly instructions	Not applicable
d) Instructions for the care and maintenance.	Present
e) If the seating is fitted with seat height adjustments with energy accumulators, an additional note is required pointing out that only trained personnel may replace or repair seat height adjustment components with energy accumulators.	Not applicable

## Marking for mobile loungers, clause 8.2

Statement checked	Remarks
All mobile loungers not intended to be lifted and moved under load shall be marked with a pictogram.	Not applicable

Conformity to clause 8 of standard of EN 581-2:2015:	YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Ду Andrea Siavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

## **TEST REPORT**

233836 / 3

 Date received:
 07/06/17

 Date of test:
 14/07/17

 Date of issue:
 28/07/17

Sample name: NET BENCH

NARDI S.P.A. VIA ARSO 4 36072 CHIAMPO (VI) ITALIA

# Seat and back static load test EN 1728:2012+AC:2013

Seat and back static load test, clause 6.4

## Test results:

Seat load N	Back force N	Number of cycles	Remarks
2.000	560	10 x 10 s	No defects
2.000	560	1 x 30 min	No defects

# Seat front edge static load, clause 6.5

Seat load N	Number of cycles	Remarks
1.300	10	No defects

#### Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

The test has been carried out simultaneously on the two positions.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director In Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# **TEST REPORT**

233836 / 4

Date received: 07/06/17
Date of test: 14/07/17
Date of issue: 28/07/17
Sample name: NET BENCH



NARDI S.P.A. VIA ARSO 4 36072 CHIAMPO (VI) ITALIA

# Seat and back fatigue test EN 1728:2012+AC:2013

Seat and back fatigue test, clause 6.17

## Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	333	50.000	No defects

#### Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

The test has been carried out simultaneously on the two positions.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Mahaging Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

## **TEST REPORT**

233836 / 5

Date received: 07/06/17
Date of test: 18/07/17
Date of issue: 28/07/17
Sample name: NET BENCH



NARDI S.P.A. VIA ARSO 4 36072 CHIAMPO (VI) ITALIA

# Arm downwards static load test EN1728:2012+AC:2013

Arm downwards static load test clause 6.11

#### Test results:

Vertical force N	Number of applications	Remarks
900	10	No defects

## Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Wanaging Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# **TEST REPORT**

# 233836 / 6

Date received: 07/06/17
Date of test: 18/07/17
Date of issue: 28/07/17
Sample name: NET BENCH



NARDI S.P.A. VIA ARSO 4 36072 CHIAMPO (VI) ITALIA

# Arm fatigue test EN 1728:2012+AC:2013

Arm fatigue test clause 6.20

#### Test results:

Force on arm rest N	Number of cycles	Remarks
400	30.000	No defects

## Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# **TEST REPORT**

233836 / 7

Date received: 07/06/17
Date of test: 22/07/17
Date of issue: 28/07/17
Sample name: NET BENCH



NARDI S.P.A. VIA ARSO 4 36072 CHIAMPO (VI) ITALIA

# Leg forward static load test EN 1728:2012+AC:2013

Leg forward static load test clause 6.15

#### Test results:

Forward horizontal force N	Balancing seat force N	at force of cycles Remarks	
400	1.000	10	No defects

# Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andréa Glavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# **TEST REPORT**

# 233836 / 8

Date received: 07/06/17
Date of test: 22/07/17
Date of issue: 28/07/17
Sample name: NET BENCH



NARDI S.P.A. VIA ARSO 4 36072 CHIAMPO (VI) ITALIA

# Leg sideways static load test EN 1728:2012+AC:2013

Leg sideways static load test clause 6.16

#### Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
300	1.000	10	No defects

Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# **TEST REPORT**

233836 / 9

Date received: 07/06/17
Date of test: 22/07/17
Date of issue: 28/07/17
Sample name: NET BENCH



NARDI S.P.A. VIA ARSO 4 36072 CHIAMPO (VI) ITALIA

# Seat impact test EN 1728:2012+AC:2013

Seat impact test clause 6.24

#### Test results:

Mass of impactor kg	Height of drop mm	Number of drops	Remarks
25	240	10	No defects

Note:

The test has been carried out according to table 2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

## **TEST REPORT**

# 233836 / 10

Date received: 07/06/17
Date of test: 26/07/17
Date of issue: 28/07/17
Sample name: NET BENCH



NARDI S.P.A. VIA ARSO 4 36072 CHIAMPO (VI) ITALIA

# **Stability - EN 1022:2005**

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 360 N

Forwards overturning

Horizontal force : 40 N does not overturn\*

**Rearwards overturning** 

Fixed back chair

Horizontal force : 360 N does not overturn\*

Tilting chair in the rearmost position

Loading discs on the seat : /

Sideways overturning for chairs with arms

Horizontal force : 20 N does not overturn

Sideways overturning for chairs without arms

Horizontal force : /

Forwards overturning for chairs with footrest

Horizontal force : /

Test passed

\* The test has been carried out simultaneously on two positions.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director