

Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com

Date received: 20/02/18

Date of issue: 13/04/18

Report consists of 11 test reports.

Defects before testing: None

Sample name: Trill Bistrot

NARDI S.P.A.

VIA DELLE STANGA' 14 36072 CHIAMPO (VI)

ITALIA

SAMPLE N° 247075

Overall dimensions: 510 x 515 x 830 (h) mm

List performed tests:

- 1. Safety requirements EN 16139:2013+AC:2013
- 2. Information for use EN 16139:2013+AC:2013
- 3. Seat and back static load test EN 1728:2012+AC:2013
- 4. Vertical load on back rest EN 1728:2012+AC:2013
- 5. Seat and back fatigue test EN 1728:2012+AC:2013
- 6. Seat front edge durability test EN 1728:2012+AC:2013
- 7. Leg forward static load test EN 1728:2012+AC:2013
- 8. Leg sideways static load test EN 1728:2012+AC:2013
- 9. Seat impact test EN 1728:2012+AC:2013
- 10. Back impact test EN 1728:2012+AC:2013
- 11. Stability EN 1022:2005



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com

SAMPLE N° 247075

Date of issue: 13/04/18
Sample weight: Not determined
Sample name: Trill Bistrot



Side view



Bottom view



Rear view



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 1

Date received: 20/02/18
Date of test: 28/02/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Safety requirements EN 16139:2013+AC:2013

Safety requirements clause 4 Statement checked Remarks Corner and edges in contact with the users: · Absence of sharp edges and corners Yes Edges on the handles: Absence of sharp edges and corners in the direction of the force Handles not present Other edges: Absence of sharp edges and corners Yes Accessible hollow components: The ends of hollow components are closed or capped Yes Movable and adjustable parts: It shall not be possible for any movable and adjustable part of the Movable and adjustable parts chair to come operate unintentionally. not present Connections between parts of the structure: · It shall not be possible for any load bearing part of the seating No to come loose unintentionally Parts which are lubricated: All the parts which are lubricated shall be designed to protect users Lubricated parts not present Shear and squeeze points between movable parts $\geq 8 \text{ mm} \leq 25 \text{ mm}$: · Shear and squeeze points under influence of powered mechanism Mechanism not present · Shear and squeeze points during normal use and during normal No movements and actions Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013: YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

aging Director Andréa Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 2

Date received: 20/02/18
Date of test: 02/03/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Information for use EN 16139:2013+AC:2013

Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user	Italian language
Information regarding the intended use (Annex B of EN 16139:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface if the chair is fitted	Castors not present
Advice that only trained personnel may replace or repair seat height adjustment components with energy accumulators if the chair is fitted	Seat height adjustment not present

Conformity to clause 7 of standard EN 16139:2013:	YES
---	-----

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 3

Date received: 20/02/18
Date of test: 02/03/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Seat and back static load test EN 1728:2012+AC:2013

Seat and back static load test, clause 6.4

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	500	10	No defects

Note:

According to EN 1728:2012, back force has been reduced from 560 N to 500 N to avoid tipping.

Seat front edge static load, clause 6.5

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 4

Date received: 20/02/18
Date of test: 02/03/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Vertical load on back rest EN 1728:2012+AC:2013

Vertical static load on back rest clause 6.6

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 5

Date received: 20/02/18
Date of test: 08/03/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Seat and back fatigue test EN 1728:2012+AC:2013

Seat and back fatigue test, clause 6.17

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Marlaging Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 6

Date received: 20/02/18
Date of test: 16/03/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Seat front edge durability test EN 1728:2012+AC:2013

Seat front edge durability test clause 6.18

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front edge	800	50.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 7

Date received: 20/02/18
Date of test: 30/03/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Leg forward static load test EN 1728:2012+AC:2013

Leg forward static load test clause 6.15

Test results:

ł	Forward norizontal force N	Balancing seat force N	Number of cycles	Remarks
	500	1.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 8

Date received: 20/02/18
Date of test: 30/03/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Leg sideways static load test EN 1728:2012+AC:2013

Leg sideways static load test clause 6.16

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 9

Date received: 20/02/18
Date of test: 30/03/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Seat impact test EN 1728:2012+AC:2013

Seat impact test clause 6.24

Test results:

Mass of impactor kg	Height of drop mm	Number of drops	Remarks
25	240	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 10

Date received: 20/02/18
Date of test: 30/03/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Back impact test EN 1728:2012+AC:2013

Back impact test clause 6.25

Test results:

A	Angle	Mass of impactor kg	Number of cycles	Remarks
	38	6,5	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Braide Matte, 4 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

247075 / 11

Date received: 20/02/18
Date of test: 11/04/18
Date of issue: 13/04/18
Sample name: Trill Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 159 N

Forwards overturning

Horizontal force : 20 N does not overturn

Rearwards overturning

Fixed back chair

Horizontal force : 159 N does not overturn

Tilting chair in the rearmost position

Loading discs on the seat : /

Sideways overturning for chairs with arms

Horizontal force : /

Sideways overturning for chairs without arms

Horizontal force : 20 N does not overturn

Forwards overturning for chairs with footrest

Horizontal force : /

Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon